PATENT COOPERATION TREATY PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference			f International Search Report where applicable, item 5 below.						
P50255PC00	ACTION	, , , , , , , , , , , , , , , , , , ,							
International application No.	International filing date (day/mon	th/year) (Earliest) Pr	iority Date (day/month/year)						
PCT/NL 00/ 00654 15/09/2000 16/09/1999									
Applicant	Applicant								
SARA LEE/DE N.V. et al.									
This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.									
This International Search Report consists It is also accompanied by	of a total ofs s a copy of each prior art document	heets. cited in this report.							
Basis of the report									
 a. With regard to the language, the language in which it was filed, un 	international search was carried or less otherwise indicated under this	at on the basis of the interritem.	national application in the						
the international search w Authority (Rule 23.1(b)).	vas carried out on the basis of a tra	nslation of the internationa	al application furnished to this						
b. With regard to any nucleotide ar was carried out on the basis of th	_	sed in the international ap	plication, the international search						
l	onal application in written form.	andahla fare-							
l H	ernational application in computer r	eadable form.							
1 -	o this Authority in written form.	form							
I	o this Authority in computer readble		rand the displacure in the						
the statement that the su international application a	bsequently furnished written seque as filed has been furnished.	ance usting does not go bey	yona are arscrosure in the						
		dable form is identical to th	ne written sequence listing has been						
1 =	und unsearchable (See Box I).								
3. Unity of invention is lac	cking (see Box II).								
4. With regard to the title,									
	ubmitted by the applicant.								
the text has been establi	shed by this Authority to read as fo	llows:							
5. With regard to the abstract,									
	submitted by the applicant.								
the text has been estable within one month from the	ished, according to Rule 38.2(b), by ne date of mailing of this internation	y this Authority as it appear al search report, submit co	rs in Box III. The applicant may, omments to this Authority.						
6. The figure of the drawings to be pul	blished with the abstract is Figure N	10.	1						
as suggested by the app	olicant.		None of the figures.						
X because the applicant fa	illed to suggest a figure.								
because this figure bette	er characterizes the invention.								

INTERNATIONAL SEARCH REPORT



A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A61L9/03

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61L A01M

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUM	ENTS CONSIDERED TO BE RELEVANT	
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Х	FR 1 139 960 A (TEMPLEMAN F E) 9 July 1957 (1957-07-09)	1-3,6-8, 10-12
Υ	figures	1,9
	claims	
X	DE 943 680 C (BRUCKBAUER & GOTZ) 24 May 1956 (1956-05-24) the whole document	1-3,6-8, 10-12
X	US 5 840 257 A (BUREAU JEAN-LOUIS ET AL) 24 November 1998 (1998-11-24) figures claims	1,6-8, 10-12

Further documents are listed in the continuation of box C.	χ Patent family members are listed in annex.
Special categories of cited documents: 'A' document defining the general state of the art which is not considered to be of particular relevance 'E' earlier document but published on or after the international filling date 'L' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) 'O' document referring to an oral disclosure, use, exhibition or other means 'P' document published prior to the international filling date but later than the priority date claimed	 "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family
Date of the actual completion of the international search	Date of mailing of the international search report
30 November 2000	08/12/2000
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2	Authorized officer
NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Thornton, S

1

INTERNATIONAL SEARCH REPORT

International Application No
PC 00/00654

Category °	Citation of document, with indication where provenies at the set up.	
	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
(FR 1 040 409 A (PROTECT-SOL) 15 October 1953 (1953-10-15) column 2, line 9 - line 20 figures 6,7 claim	1,6-8, 10-12
(FR 2 510 410 A (ALKEKENGE SARL) 4 February 1983 (1983-02-04) figure claims	1,9
1	WO 99 22776 A (SMITH NIGEL PETER ;GLOBOL CHEM UK LTD (GB)) 14 May 1999 (1999-05-14) figure 1 claims	1-12
A	US 5 891 400 A (POTTS BARBARA ET AL) 6 April 1999 (1999-04-06) figures 1,3 claims 1,4,7-10	1,2,4,5, 8,10-12

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No 00/00654 Patent document Publication Patent family Publication cited in search report date member(s) date FR 1139960 09-07-1957 NONE DE 943680 C NONE US 5840257 Α 24-11-1998 CA 2202179 A 08-10-1998 CA 2205079 A,C 12-06-1997 FR 1040409 Α 15-10-1953 NONE FR 2510410 04-02-1983 NONE WO 9922776 Α 14-05-1999 ΑU 9553298 A 24-05-1999 EΡ 1027083 A 16-08-2000 NO 20002123 A 26-04-2000 US 5891400 Α 06-04-1999 NONE

WO 01/19418 PCT/NL00/00654

Title: Air freshening apparatus

5

10

15

20

25

30

The present invention relates to an air freshening apparatus, comprising a reservoir with a wick, which reservoir can be filled with a fuel, particularly with lamp oil.

Such an apparatus is known from Dutch patent application NL-A-10.06055. In that apparatus the reservoir is filled with a mixture of a lamp fuel and an active component, such as a fragrance, which mixture is absorbed by a wick. The upper part of the wick is surrounded by a heat conducting bushlike element with openings via which the fragrance evaporates during burning. A shield is present to prevent the evaporated fragrance entering into the flame and getting burned.

A disadvantage of a mixture of lamp fuel and fragrance is that the composition of the mixture will not be constant due to a different evaporating rate and to a certain evaporating of the fragrance during the period that the apparatus is not in use, i.e. is not burning.

The purpose of the invention is to improve the known apparatus, particularly with respect to the above disadvantage. Therefore, according to the invention, the air freshening apparatus as described in the preamble is characterized in that the apparatus further comprises heat conducting means for heat transport from the wick, when burning, to a separate holder for an active component, such as a fragrance.

In a first preferred embodiment the reservoir is provided with a lid holding the wick and with a lamp glass thereabove while in the lamp glass there is mounted a metal element, which forms part of the heat conducting means. In this embodiment the metal element can be mounted in the lamp glass in the vicinity of, particularly above the location of the wick, when burning.

5

10

15

20

25

From a constructional point of view the holder can form an integral part of the apparatus. Also the holder can form an integral part of the lamp glass. Further at least part of the holder can form part of the heat conducting means.

In a further embodiment the holder is replaceable, while the apparatus is provided with connecting means to connect the holder to the apparatus. In that embodiment at least part of the connecting means or at least part of a contact surface between the holder and the apparatus can form part of the heat conducting means.

The holder can be provided with a porous wick to transport the active component out of the holder. Also the holder can be provided with one or more openings in the upper part thereof via which openings the active component can evaporate. In stead of a porous material, the wick, particularly the wick in the holder, can be formed by a capillary element. Further, the holder can also be provided with a liquid permeable closing element, via which the active component is received by a carrier element, which carrier element can form part of the heat conducting means and serves as an evaporator.

The invention not only relates to an air freshening apparatus, but also to a combination of the above described air freshening apparatus and a holder for an active component, such as a fragrance.

The invention also relates to a holder for an active component, such as a fragrance, for use in the above described air freshening apparatus.

The invention will now be described with reference to the enclosed drawing, in which:

Fig. 1 shows a first embodiment of the air freshening apparatus according to the invention; and

Fig. 2 shows a second embodiment of such an air freshening apparatus.

WO 01/19418 PCT/NL00/00654

The first embodiment of the apparatus according to the invention as shown in fig. 1 comprises a reservoir 1, which is filled with lamp fuel 2 and is closed by a lid 3. Through an opening in the lid 3 a wick 4 is inserted into the lamp fuel in the reservoir 1. A lamp glass 5 is placed on the top of the lid 3. A separate holder 6, filled with an active component 7, such as a fragrance, is provided. In the embodiment shown, the holder 6 forms an integral part of the lamp glass 5. Through an opening in the upper part of the holder 6 a wick 8 is inserted into the active component 7 in the holder 6. In the lamp glass 5 a metal element 9 is mounted in the vicinity of the wick 4, particularly above the wick 4 at such a distance that, when the wick is burning, the flame heats the metal element 9. Heat conducting means are formed by the metal part 5 and at least part of the contact surface 10 between the holder 6 and the lamp glass 5. Particularly, part of the contact surface 10 can be a metal part connected to the metal element 9. When the wick 4 is burning, heat is conducted from the metal element 9 and at least part of the contact surface 10 to the active component 7 in the holder 6, with the consequence that the active component is evaporated via the wick 8.

10

15

20

25

30

35

Fig. 2 shows an embodiment of the apparatus according to the invention, in which a reservoir 11, filled with a lamp fuel 12 is closed by a heat conducting plug 13. Through an opening in the plug 13 a wick 14 is inserted. A separate holder 15, filled with an active component 16, such as a fragrance, is replaceable mounted on a side surface of the reservoir 11, e.g. by clamping means 17. Through the open end of the holder 15 a wick 18 is inserted. The wick 18 reaches out of a bushlike element 19, which is mounted above the opening of the holder 15. The bushlike element 19 is connected is provided with a projection 21, which reaches to above the plug 13 and forms with the plug 13 heat conducting means. When the wick 14 is burning, heat is conducted through the plug 13 and the bushlike element 19 to

5

10

the active component 16 in the holder 15, with the consequence that the active component is evaporated via the wick 18. A shield 20 is provided to prevent the evaporated active component entering into the flame and getting burned.

PCT/NL00/00654

It will be clear that the invention is not restricted to the preferred embodiments shown in the figures. Particularly, it will be clear to the skilled man that many alternatives exist for performing the function of the apparatus discussed. So, the form and size of the reservoir, the holder and the lamp can arbritray chosen. Taking into the heat generated by burning of lamp fuel several, preferably transparent materials can be used; however, the heat conducting means will be of metal.

10

Claims

- 1. Air freshening apparatus, comprising a reservoir with a wick, which reservoir can be filled with a fuel, particularly with lamp oil, characterized in that the apparatus further comprises heat conducting means for heat transport from the wick, when burning, to a separate holder for an active component, such as a fragrance.
- 2. Air freshening apparatus according to claim 1, characterized in that the reservoir is provided with a lid holding the wick and with a lamp glass thereabove while in the lamp glass there is mounted a metal element, which forms part of the heat conducting means.
- 3. Air freshening apparatus according to claim 1 or 2, characterized in that the metal element is mounted in the lamp glass in the vicinity of, particularly above the location of the wick, when burning.
- 4. Air freshening apparatus according to any one of the preceding claims, characterized in that the holder forms an integral part of the apparatus.
- Air freshening apparatus according to claim 2 and 4,
 characterized in that the holder forms an integral part of the lamp glass.
 - 6. Air freshening apparatus according to any one of the preceding claims, characterized in that at least part of the holder forms part of the heat conducting means.
- 7. Air freshening apparatus according to anyone of the claims 1-3, characterized in that the holder is replaceable and that the apparatus is provided with connecting means to connect the holder to the apparatus.
- 8. Air freshening apparatus according to claim 7, characterized in that at least part of the connecting means or at least part of a contact surface between the holder and the apparatus forms part of the heat conducting means.

WO 01/19418 PCT/NL00/00654

9. Air freshening apparatus according to any one of the preceding claims, characterized in that the holder is provided with a porous wick to transport the active component out of the holder.

- 5 10. Air freshening apparatus according to any one of the preceding claims 1-8, characterized in that the holder is provided with one or more openings in the upper part thereof via which openings the active component can evaporate.
- 11. Combination of an air freshening apparatus according to claim 7 or 8 and a holder for an active component, such as a fragrance.
 - 12. Holder for an active component, such as a fragrance, for use in an air freshening apparatus according to claim 7 or 8.

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A61L9/03

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) , $IPC\ 7\ A61L\ A01M$

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
х	FR 1 139 960 A (TEMPLEMAN F E) 9 July 1957 (1957-07-09)	1-3,6-8, 10-12
Y	figures	1,9
	claims	
X	DE 943 680 C (BRUCKBAUER & GOTZ) 24 May 1956 (1956-05-24) the whole document	1-3,6-8, 10-12
X	US 5 840 257 A (BUREAU JEAN-LOUIS ET AL) 24 November 1998 (1998-11-24) figures claims	1,6-8, 10-12
	-/	

X Further documents are listed in the continuation of box C.	X Patent family members are listed in annex.
Special categories of cited documents: A* document defining the general state of the art which is not considered to be of particular relevance E* earlier document but published on or after the international filing date *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) *O* document referring to an oral disclosure, use, exhibition or other means *P* document published prior to the international filing date but later than the priority date claimed	 "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family
Date of the actual completion of the international search	Date of mailing of the international search report
30 November 2000	08/12/2000
Name and mailing address of the ISA	Authorized officer
European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Thornton, S

1

		1C1/NL 00/00034
C.(Continua	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	Relevant to claim No.
Category °	Citation of document, with indication, where appropriate, of the relevant passages	regevant to claim No.
X	FR 1 040 409 A (PROTECT-SOL) 15 October 1953 (1953-10-15) column 2, line 9 - line 20 figures 6,7 claim	1,6-8, 10-12
Υ	FR 2 510 410 A (ALKEKENGE SARL) 4 February 1983 (1983-02-04) figure claims	1,9
A	WO 99 22776 A (SMITH NIGEL PETER ;GLOBOL CHEM UK LTD (GB)) 14 May 1999 (1999-05-14) figure 1 claims	1-12
A	US 5 891 400 A (POTTS BARBARA ET AL) 6 April 1999 (1999-04-06) figures 1,3 claims 1,4,7-10	1,2,4,5, 8,10-12


1

PCT/NL 00/00654

Patent document cited in search report Patent family Publication **Publication** member(s) date date FR 1139960 09-07-1957 NONE Α DE 943680 C NONE US 5840257 Α 24-11-1998 CA 2202179 A 08-10-1998 CA 2205079 A,C 12-06-1997 FR 1040409 15-10-1953 NONE 04-02-1983 NONE FR 2510410 Α 14-05-1999 9553298 A 24-05-1999 WO 9922776 Α ΑU ΕP 1027083 A 16-08-2000 NO 20002123 A 26-04-2000 NONE US 5891400 Α 06-04-1999

PATENT COOPERATION TREATY

PCT



INTERNATIONAL PRELIMINARY EXAMINATION REPORT

Corrected

(PCT Article 36 and Rule 70)

Applicant's	s or ag	ent's file reference		See Notifie	ation of Transmittal of International
P50255PC00 FO			FOR FURTHER ACTION	•	ation of Transmittal of International r Examination Report (Form PCT/IPEA/416)
Internation	al app	ication No.	International filing date (day/mo	nth/year)	Priority date (day/month/year)
PCT/NL	00/00	654	15/09/2000		16/09/1999
Internation A61L9/0		ent Classification (IPC) or nat	lional classification and IPC		
Applicant					
SARA L	EE/D	E N.V. et al.			
		ational preliminary exami smitted to the applicant a		red by this Inte	rnational Preliminary Examining Authority
2. This	REPC	PRT consists of a total of	4 sheets, including this cover	sheet.	
1	oeen a (see R	mended and are the bas	is for this report and/or sheets 7 of the Administrative Instru	s containing re	n, claims and/or drawings which have ctifications made before this Authority e PCT).
3. This	report	Basis of the report Priority	ting to the following items:	ryontivo etan	and industrial applicability
IV		Lack of unity of inventio	pinion with regard to novelty, i	mventive steb	and industrial applicability
V	⊠	Reasoned statement un		o novelty, inve	entive step or industrial applicability;
VI		Certain documents cite	· •		
VII		Certain defects in the in	ternational application		
VIII			the international application		
Date of su	bmissio	on of the demand	Date (of completion of	this report
29/03/20	001		04.02	.2002	
	exami	g address of the international ning authority:	Autho	rized officer	is the Colls Millians
European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d				vronski, M	TABLE STATES

Telephone No. +49 89 2399 8475

Fax: +49 89 2399 - 4465



I.	Basis	of th	ne report
----	-------	-------	-----------

1.	the and		referred to in this r	h have been furnished to eport as "originally filed" S and 70.17)):					
	1-4		as received on	18/12/2001	with letter of	14/12/2001			
	Cla	ims, No.:							
	1-1	2	as received on	18/12/2001	with letter of	14/12/2001			
	Dra	wings, sheets:							
	1/1		as originally filed						
2.			uage, all the elements marked nternational application was fil						
	The	These elements were available or furnished to this Authority in the following language: , which is:							
		the language of a t	translation furnished for the pu	rposes of the i	nternational search	(under Rule 23.1(b)).			
		the language of pu	blication of the international ap	plication (unde	er Rule 48.3(b)).				
		the language of a t 55.2 and/or 55.3).	ranslation furnished for the pu	rposes of inter	national preliminary	examination (under Rule			
3.	With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:								
		☐ contained in the international application in written form.							
		filed together with the international application in computer readable form.							
		furnished subsequently to this Authority in written form.							
		furnished subseque	ently to this Authority in compu	iter readable fo	orm.				
		The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.							
☐ The statement that the information recorded in computer readable form is identical to listing has been furnished.						to the written sequence			
4.	The	amendments have	resulted in the cancellation of:						
		the description,	pages:						
		the claims,	Nos.:						



		the drawings,	sheets:			
5. This report has been established as if (some of) the amendments had not been made, since they have to considered to go beyond the disclosure as filed (Rule 70.2(c)):						
		(Any replacement she report.)	eet conta	ining suct	n amendments must be referred to under item 1 and annexed to this	
6.	Addi	itional observations, if	necessa	ry:		
V.	Rea:	soned statement unditions and explanation	ler Articl ns suppc	e 35(2) w orting suc	ith regard to novelty, inventive step or industrial applicability;	
1.	State	ement				
	Nove	elty (N)	Yes: No:	Claims Claims	1-12	
	Inver	ntive step (IS)	Yes: No:	Claims Claims	1-12	
	Indus	strial applicability (IA)	Yes: No:	Claims Claims	1-12	
		ions and explanations				

The international preliminary examination report are based on following documents cited in the international search report:

D1: FR-A-1 139 960 (TEMPLEMAN F E) 9 July 1957 (1957-07-09)

D2: FR-A-2 510 410 (ALKEKENGE SARL) 4 February 1983 (1983-02-04)

D3: US-A-5 891 400 (POTTS BARBARA ET AL) 6 April 1999 (1999-04-06)

Item V

1. Inventive step (Article 33(3) PCT)

- The present application defines an apparatus comprising a reservoir with a wick, a) which reservoir can be filled with a fuel, particularly with lamp oil and comprising a separate holder for an active component, whereas the apparatus is an air freshening apparatus further comprising heat conducting means for heat transport from the wick, when burning, to the separate holder for the active component, such as a fragrance, the heat conducting means comprising a metal element which is mounted in the vicinity of the wick at such a distance that, when the wick is burning, the flame heats the metal element.
- The present application differs from D1 in that there is a heat conducting means b) comprising a metal element that, when the wick is burning, the flame heats the metal element.
- This feature solves the problem that evaporated fragrance does not enter into the c) flame and burns, so that the perfume will be properly spread into the room.
- There is no indication in the given state of the art that the problem can be solved d) by the apparatus of the present application, so that the subject-matter of claim 1 involves an inventive step in the sense of Article 33(3) PCT.

PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT.

(PCT Article 36 and Rule 70)

'	icants o)255PC		nt's file reference	FOR FURTHER ACTIO	See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/415)				
Inter	mational	applic	sation No.	International filing date (day/	month/year)	Priority date (day/month/year)			
PC	PCT/NL00/00654		354	15/09/2000		16/09/1999			
A61	International Patent Classification (IPC) or national classification and IPC A61L9/03 Applicant								
	SARA LEE/DE N.V. et al.								
1.	This in and is	lerna trans	itional preliminary exami mitted to the applicant a	Ination report has been pre- according to Article 36.	pared by this Inte	mational Preliminary Examining Authority			
2.	This A	EPO	RT consists of a total of	4 sheets, including this co	ver sheet.				
	This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT). These annexes consist of a total of 6 sheets.								
Э.	This re			ating to the following items:					
	l 					·			
	11			epinion with regard to novel	tu Invantiva etan	and industrial applicability			
	{(V		Lack of unity of inventi		ry, machinac steh	and lingshift applicanting			
	٧		Reasoned statement u		erd to novelty, linve	entive step of industrial applicability;			
	·Vi		Certain documents cit	ed					
	VII		Certain defects in the i	nternational application					
	VIII 🗀 Certain observations on the international application								
Dat	le of sub	missio	on of the demand	P	ate of completion of	this report			
29	/03/200	01		0	4.02.2002				
Nai	me and r	exam	g address of the internation ining authority:	al A	necific bestrontu	A CONTRACTOR OF THE PARTY OF TH			
	European Patent Office D-80298 Munich Tet. +49 89 2399 - 0 Tx: 523656 apmil d Fax: +46 89 2399 - 4465			66 epmu d	skowronski, M Telephone No. +49 8	9 2399 8475			

INTERNATIONAL PRELIMINARY **EXAMINATION REPORT**

International application No. PCT/NL00/00654

•	Has	is of the report							
-	the i and	ith regard to the elements of the international application (Replacement sheets which have been furnished to be receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filled" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)): escription, pages:							
	1-4		as received on	16/12/2001	with letter of	14/12/2001			
	Clai	ms, No.:		·					
	1-12	?	as received on	18/12/2001	with letter of	14/12/2001			
	Drev	wings, sheets:							
	1/1	•	as originally filed						
•	\	a consist of the lange	was all the elements i	marked shove were s	wailahle or fumleh	ed to this Authority in the			
<u> </u>	lang	h regard to the language, all the elements marked above were available or furnished to this Authority in the guage in which the international application was filed, unless otherwise indicated under this item.							
	The	se elements were a	avaliable or furnished to	this Authority in the f	ollowing language	: , which is:			
			translation furnished for			n (under Rule 23.1(b)).			
		the language of pu	ublication of the internati	onal application (und	er Rule 48.3(b)).				
		the language of a 65.2 and/or 55.3).		the purposes of inter	national prelimina	ry examination (under Rul			
3.			cleotide and/or amino e ry examination was carri						
٠.			nternational application is						
		illed together with the international application in computer readable form.							
			uently to this Authority in						
		·							
		The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.							
		The statement the listing has been for		ed in computer reada	ible form is identic	al to the written sequence			
4.	The	amendments have	e resulted in the cancella	ation of:					
		the description,	pages:						
		the claims,	Nos.:						



INTERNATIONAL PRELIMINARY **EXAMINATION REPORT**

International application No. PCT/NL00/00654

the drawings.

sheets:

5.

This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):

(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)

- 6. Additional observations, if necessary:
- V. Reasoned statement under Article \$5(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
- 1. Statement

Novelty (N)

Yes:

Claims 1-12

No:

Claims

Inventive step (IS)

Yes: Claims 1-12

Claime No:

Industrial applicability (IA)

Claims 1-12 Yes:

No:

Claims

2. Citations and explanations see separate sheet

FAX:31704166799

10/_{PA} 88242

Rec'd PCT/PTO 1 5 MAR 2002 NL0000654

18-12-2001

5

10

15

20

25

30

3/pts.

FFO-DO4

new page 1

18, 12, 2001

Title: Air freshening apparatus

(i...)

The present invention relates to an air freshening apparatus, comprising a reservoir with a wick, which reservoir can be filled with a fuel, particularly with lamp oil and comprising a separate holder for an active component.

Such an apparatus is known FR-A-1 139 960 which discloses an oil lamp having an reservoir for fuel in which a wick is provided. Above the wick a holder for a fumigation substance, e.g. to fumigate insects, is provided. The bottom of the holder is directly heated by the hot burning gases which rise from the flame.

FR-A-2 510 410 discloses a electric lamp bulp with a holder for perfume. Air, which is heated by the electric lamp bulp is led to a wick which is placed in the perfume which is in the holder. Consequently, the perfume is evaporated through the wick more efficiently by the heated air which is flowing along the wick.

US-A-5 891 400 shows a candle container with a surrounding open top container for receiving and holding a gel containing a vaporizable or diffusable substance that passes from the gel into the surrounding atmosphere after exposure to the thermal energy from the lighted candle.

discloses an apparatus in which the reservoir is filled with a mixture of a lamp fuel and an active component, such as a fragrance, which mixture is absorbed by a wick. The upper part of the wick is surrounded by a heat conducting bushlike element with openings via which the fragrance evaporates during burning. A shield is present to prevent the evaporated fragrance entering into the flame and getting burned.

A disadvantage of a mixture of lamp fuel and fragrance is that the composition of the mixture will not be constant due to a different evaporating rate and to a certain

.....

18-12-2001

15

20

25

30

35

NL0000654

new page 2

evaporating of the fragrance during the period that the apparatus is not in use, i.e. is not burning.

The purpose of the invention is to improve the known apparatus, particularly with respect to the above disadvantage. Therefore, according to the invention, the air freshening apparatus as described in the preamble is characterized in that the apparatus is an air freshening apparatus further comprisinges heat conducting means for heat transport from the wick, when burning, to the a separate holder for thean active component, such as a fragrance, the heat conducting means comprising a metal element which is mounted in the vicinity of the wick at such a distance that, when the wick is burning, the flame heats the metal element.

In a first preferred embodiment the reservoir is provided with a lid holding the wick and with a lamp glass thereabove while in the lamp glass there is mounted a metal element, which forms part of the heat conducting means. In this embodiment the metal element can be mounted in the lamp glass in the vicinity of, particularly above the location of the wick, when burning.

From a constructional point of view the holder can form an integral part of the apparatus. Also the holder can form integral part of the lamp glass. Further at least part of the holder can form part of the heat conducting means.

In a further embodiment the holder is replaceable. while the apparatus is provided with connecting means to connect the holder to the apparatus. In that embodiment at least part of the connecting means or at least part of a contact surface between the holder and the apparatus can form part of the heat conducting means.

The holder can be provided with a porous wick to transport the active component out of the holder. Also the holder can be provided with one or more openings in the upper part thereof via which openings the active component can evaporate. In stead of a porous material, the wick, particularly the wick in the holder, can be formed by a

18-12-2001

NL0000654

new page 3

capillary element. Further, the holder can also be provided with a liquid permeable closing element, via which the active component is received by a carrier element, which carrier element can form part of the heat conducting means and serves as an evaporator.

The invention not only relates to an air freshening apparatus, but also to a combination of the above described air freshening apparatus and a holder for an active component, such as a fragrance.

The invention also relates to a holder for an active component, such as a fragrance, for use in the above described air freshening apparatus.

The invention will now be described with reference to the enclosed drawing, in which:

Fig. 1 shows a first embodiment of the air freshening apparatus according to the invention; and

Fig. 2 shows a second embodiment of such an air freshening apparatus.

20

25

30

35

10

The first embodiment of the apparatus according to the invention as shown in fig. 1 comprises a reservoir 1, which is filled with lamp fuel 2 and is closed by a lid 3. Through an opening in the lid 3 a wick 4 is inserted into the lamp fuel in the reservoir 1. A lamp glass 5 is placed on the top of the lid 3. A separate holder 6, filled with an active component 7, such as a fragrance, is provided. In the embodiment shown, the holder 6 forms an integral part of the lamp glass 5. Through an opening in the upper part of the holder 6 a wick 8 is inserted into the active component 7 in the holder 6. In the lamp glass 5 a metal element 9 is mounted in the vicinity of the wick 4, particularly above the wick 4 at such a distance that, when the wick is burning, the flame heats the metal element 9. Heat conducting means are formed by the metal part 5 and at least part of the contact surface 10 between the holder 6 and the lamp glass 5.

18-12-2001

10

15

20

25

30

NL0000654

new page 4

Particularly, part of the contact surface 10 can be a metal part connected to the metal element 9. When the wick 4 is burning, heat is conducted from the metal element 9 and at least part of the contact surface 10 to the active component 7 in the holder 6, with the consequence that the active component is evaporated via the wick 8.

Fig. 2 shows an embodiment of the apparatus according to the invention, in which a reservoir 11, filled with a lamp fuel 12 is closed by a heat conducting plug 13. Through an opening in the plug 13 a wick 14 is inserted. A separate holder 15, filled with an active component 16, such as a fragrance, is replaceable mounted on a side surface of the reservoir 11, e.g. by clamping means 17. Through the open end of the holder 15 a wick 18 is inserted. The wick 18 reaches out of a bushlike element 19, which is mounted above the opening of the holder 15. The bushlike element 19 is connected is provided with a projection 21, which reaches to above the plug 13 and forms with the plug 13 heat conducting means. When the wick 14 is burning, heat is conducted through the plug 13 and the bushlike element 19 to

the active component 16 in the holder 15, with the consequence that the active component is evaporated via the wick 18. A shield 20 is provided to prevent the evaporated active component entering into the flame and getting burned.

It will be clear that the invention is not restricted to the preferred embodiments shown in the figures. Particularly, it will be clear to the skilled man that many alternatives exist for performing the function of the apparatus discussed. So, the form and size of the reservoir, the holder and the lamp can arbritray chosen. Taking into the heat generated by burning of lamp fuel several, preferably transparent materials can be used; however, the heat conducting means will be of metal.

10

20

18-12-2001 NL000065-

new page 5

Claims

- Nix freshening apparatus, comprising a reservoir with a wick, which reservoir can be filled with a fuel, particularly with lamp oil and comprising a separate holder for an active component, characterized in that the apparatus is an air freshening apparatus further comprisinges heat conducting means for heat transport from the wick, when burning, to theat separate holder for thean active component, such as a fragrance, the heat conducting means comprising a metal clement which is mounted in the vicinity of the wick at such a distance that, when the wick is burning, the flame heats the metal element.
- Air freshening apparatus according to claim 1, characterized in that the reservoir is provided with a lid holding the wick and with a lamp glass thereabove while in the lamp glass there is mounted a metal element, which forms part of the heat conducting means.
 - 3. Air freshening apparatus according to claim 1 or 2, characterized in that the metal element is mounted in the lamp glass in the vicinity of, particularly above the location of the wick, when burning.
 - 4. Air freshening apparatus according to any one of the preceding claims, characterized in that the holder forms an integral part of the apparatus.
- 5. Air freshening apparatus according to claim 2 and 4, characterized in that the holder forms an integral part of the lamp glass.
 - 6. Air freshening apparatus according to any one of the preceding claims, characterized in that at least part of the holder forms part of the heat conducting means.
- 30 7. Air freshening apparatus according to anyone of the claims 1-3, characterized in that the holder is replaceable and that the apparatus is provided with connecting means to connect the holder to the apparatus.

15

18-12-2001 NL0000654

new page 6

- 8. Air freshening apparatus according to claim 7, characterized in that at least part of the connecting means or at least part of a contact surface between the holder and the apparatus forms part of the heat conducting means.
- 9. Air freshening apparatus according to any one of the preceding claims, characterized in that the holder is provided with a porous wick to transport the active component out of the holder.
- 10. Air freshening apparatus according to any one of the preceding claims 1-8, characterized in that the holder is provided with one or more openings in the upper part thereof via which openings the active component can evaporate.
 - 11. Combination of an air freshening apparatus according to claim 7 or 8 and a holder for an active component, such as a fragrance.
 - 12. Holder for an active component, such as a fragrance, for use in an air freshening apparatus according to claim 7 or 8.





(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau

(43) International Publication Date 22 March 2001 (22.03.2001)

PCT

(10) International Publication Number WO 01/19418 A1

(51) laternational Patent Classification7:

A61L 9/03

- (31) International Application Number: PCT/NL00/00654
- ·
- (22) International Filing Date: 15 September 2000 (15.09.2000)
- (25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

99203023.9

16 September 1999 (16.09.1999) EP

- (71) Applicant for all designated States except US): SARA LEE/DE N.V. [NL/NL]; Keuleshade 143, NL-3532 AA Utrecht (NL).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): KUHN, Petrus, Henricus, Aloysius, Nicolass (NL/NL); Hanenburgiasn 294, NL-2565 HG The Hague (NL).


- (74) Agent: PRINS, Ir, A., W.; Versenigde, Nieuwe Parklaan 97, NL-2587 BN The Hague (NL).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU. AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR. HU, ID, IL, IN, IS, IP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, BS, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SB), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

With international search report.

For two-letter codes and other abbreviations. refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: AIR FRESHENING APPARATUS



(57) Abstract: An air freshening apparatus comprises a reservoir with a wick, which reservoir can be filled with a fuel, particularly with lamp oil, and heat conducting means for heat transport from the wick, when burning, to a separate holder for an active component, such as a fragrance. The holder may form an integral part of the apparatus or may be replaceable, in which case the apparatus is provided with connecting means to connect the holder to the apparatus.

WO 01/19418 A1

5

PCT/NL00/00654

Title: Air freshening apparatus

The present invention relates to an air freshening apparatus, comprising a reservoir with a wick, which reservoir can be filled with a fuel, particularly with lamp oil.

Such an apparatus is known from Dutch patent application NL-A-10.06055. In that apparatus the reservoir is filled with a mixture of a lamp fuel and an active component, such as a fragrance, which mixture is absorbed by a wick. The upper part of the wick is surrounded by a heat conducting bushlike element with openings via which the fragrance evaporates during burning. A shield is present to prevent the evaporated fragrance entering into the flame and getting burned.

A disadvantage of a mixture of lamp fuel and fragrance is that the composition of the mixture will not be constant due to a different evaporating rate and to a certain evaporating of the fragrance during the period that the apparatus is not in use, i.e. is not burning.

The purpose of the invention is to improve the known apparatus, particularly with respect to the above disadvantage. Therefore, according to the invention, the air freshening apparatus as described in the preamble is characterized in that the apparatus further comprises heat conducting means for heat transport from the wick, when burning, to a separate holder for an active component, such as a fragrance.

In a first preferred embodiment the reservoir is provided with a lid holding the wick and with a lamp glass thereabove while in the lamp glass there is mounted a metal element, which forms part of the heat conducting means. In this embodiment the metal element can be mounted in the lamp glass in the vicinity of, particularly above the location of the wick, when burning.

5

10

15

20

25

PCT/NL00/00654

2

From a constructional point of view the holder can form an integral part of the apparatus. Also the holder can form an integral part of the lamp glass. Further at least part of the holder can form part of the heat conducting means.

In a further embodiment the holder is replaceable, while the apparatus is provided with connecting means to connect the holder to the apparatus. In that embodiment at least part of the connecting means or at least part of a contact surface between the holder and the apparatus can form part of the heat conducting means.

The holder can be provided with a porous wick to transport the active component out of the holder. Also the holder can be provided with one or more openings in the upper part thereof via which openings the active component can evaporate. In stead of a porous material, the wick, particularly the wick in the holder, can be formed by a capillary element. Further, the holder can also be provided with a liquid permeable closing element, via which the active component is received by a carrier element, which carrier element can form part of the heat conducting means and serves as an evaporator.

The invention not only relates to an air freshening apparatus, but also to a combination of the above described air freshening apparatus and a holder for an active component, such as a fragrance.

The invention also relates to a holder for an active component, such as a fragrance, for use in the above described air freshening apparatus.

The invention will now be described with reference to the enclosed drawing, in which:

Fig. 1 shows a first embodiment of the air freshening apparatus according to the invention; and

Fig. 2 shows a second embodiment of such an air freshening apparatus.

PCT/NL00/00654

3

The first embodiment of the apparatus according to the inv ntion as shown in fig. 1 comprises a reservoir 1, which is filled with lamp fuel 2 and is closed by a lid 3. Through an opening in the lid 3 a wick 4 is inserted into the lamp fuel in the reservoir 1. A lamp glass 5 is placed on the top of the lid 3. A separate holder 6, filled with an active component 7, such as a fragrance, is provided. In the embodiment shown, the holder 6 forms an integral part of the lamp glass 5. Through an opening in the upper part of the holder 6 a wick 8 is inserted into the active component 7 in 10 the holder 6. In the lamp glass 5 a metal element 9 is mounted in the vicinity of the wick 4, particularly above the wick 4 at such a distance that, when the wick is burning, the flame heats the metal element 9. Heat conducting means are formed by the metal part 5 and at least part of the contact 15 surface 10 between the holder 6 and the lamp glass 5. Particularly, part of the contact surface 10 can be a metal part connected to the metal element 9. When the wick 4 is burning, heat is conducted from the metal element 9 and at least part of the contact surface 10 to the active component 20 7 in the holder 6, with the consequence that the active component is evaporated via the wick 8.

Fig. 2 shows an embodiment of the apparatus according to the invention, in which a reservoir 11. filled with a lamp fuel 12 is closed by a heat conducting plug 13. Through an opening in the plug 13 a wick 14 is inserted. A separate holder 15, filled with an active component 16, such as a fragrance, is replaceable mounted on a side surface of the reservoir 11, e.g. by clamping means 17. Through the open end of the holder 15 a wick 18 is inserted. The wick 18 reaches 30 out of a bushlike element 19, which is mounted above the opening of the holder 15. The bushlike element 19 is connected is provided with a projection 21, which reaches to above the plug 13 and forms with the plug 13 heat conducting means. When the wick 14 is burning, heat is conducted through 35 the plug 13 and the bushlike element 19 to

5

PCT/NL00/00654

4

the active component 16 in the holder 15, with the consequence that the active component is evaporated via the wick 18. A shield 20 is provided to prevent the evaporated active component entering into the flame and getting burned.

It will be clear that the invention is not restricted to the preferred embodiments shown in the figures. Particularly, it will be clear to the skilled man that many alternatives exist for performing the function of the apparatus discussed. So, the form and size of the reservoir, the holder and the lamp can arbritray chosen. Taking into the heat generated by burning of lamp fuel several, preferably transparent materials can be used; however, the heat conducting means will be of metal.

10

20

PCT/NL00/00654

5

Claims

- Air freshening apparatus, comprising a reservoir with a wick, which reservoir can be filled with a fuel, particularly with lamp oil, characterized in that the apparatus further comprises heat conducting means for heat transport from the 5 wick, when burning, to a separate holder for an active component, such as a fragrance.
 - Air freshening apparatus according to claim 1, characterized in that the reservoir is provided with a lid holding the wick and with a lamp glass thereabove while in the lamp glass there is mounted a metal element, which forms part of the heat conducting means.
 - Air freshening apparatus according to claim 1 or 2, characterized in that the metal element is mounted in the lamp glass in the vicinity of, particularly above the
- location of the wick, when burning. 15
 - Air freshening apparatus according to any one of the preceding claims, characterized in that the holder forms an integral part of the apparatus.
 - Air freshening apparatus according to claim 2 and 4, characterized in that the holder forms an integral part of the lamp glass.
 - Air freshening apparatus according to any one of the preceding claims, characterized in that at least part of the holder forms part of the heat conducting means.
- Air freshening apparatus according to anyone of the claims 1-3, characterized in that the holder is replaceable and that the apparatus is provided with connecting means to connect the holder to the apparatus.
 - Air freshening apparatus according to claim 7,
- characterized in that at least part of the connecting means 30 or at least part of a contact surface between the holder and the apparatus forms part of the heat conducting means.

PCT/NL00/00654

6

- 9. Air freshening apparatus according to any one of the preceding claims, characterized in that the holder is provided with a porous wick to transport the active component out of the holder.
- 10. Air freshening apparatus according to any one of the preceding claims 1-8, characterized in that the holder is provided with one or more openings in the upper part thereof via which openings the active component can evaporate.
- 11. Combination of an air freshening apparatus according to claim 7 or 8 and a holder for an active component, such as a fragrance.
 - 12. Holder for an active component, such as a fragrance, for use in an air freshening apparatus according to claim 7 or 8.

Docket No.: 9424.202USWO
Title: AIR FRESHENING APPARATUS
Attorney Name: John J. Gresens
Phone No.: 612.37 5525
Sheet 1 of 1




Fig. 1




Fig. 2

PATENT COOPERATION TREAT 10/088242

PCT

REC'D 0 7 JAN 2002

PCT

WIPO

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference		See Notification of Transmittal of International			
P50255PC00	FOR FURTHER ACTION	Preliminary Examination Report (Form PCT/IPEA/416)			
International application No.	International filing date (day/mont	h/year) Priority date (day/month/year)			
PCT/NL00/00654	15/09/2000	16/09/1999			
International Patent Classification (IPC) or national classification and IPC A61L9/03					
Applicant					
SARA LEE/DE N.V. et al.					
This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.					
2. This REPORT consists of a total o	6 sheets, including this cover s	heet.			
☐ This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).					
These annexes consist of a total of sheets.					
3. This report contains indications rel	ating to the following items:				
I ⊠ Basis of the report					
II □ Priority					
1	opinion with regard to novelty, ir	ventive step and industrial applicability			
IV 🗆 Lack of unity of invent					
V ⊠ Reasoned statement of citations and explanate	under Article 35(2) with regard to ions suporting such statement	novelty, inventive step or industrial applicability;			
VI ☐ Certain documents ci					
VII Certain defects in the	international application				
VIII Certain observations	on the international application				
Date of submission of the demand	Date o	f completion of this report			
29/03/2001	03.01.	2002			
Name and mailing address of the internation preliminary examining authority:	nal Author	ized officer			
European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 5236	Skow	ronski, M			
Fax: +49 89 2399 - 4465	Telept	one No. +49 89 2399 8475			



I. Basis of the report

1.	With regard to the elements of the international application (Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)): Description , pages:					
	1-4		as originally filed			
	Clai	ms, No.:				
	1-12	2	as originally filed			
	Drawings, sheets:					
	1/1		as originally filed			
2.	. With regard to the language , all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.					
	These elements were available or furnished to this Authority in the following language: , which is:					
		the language of a	translation furnished for the purposes of the international search (under Rule 23.1(b)).			
		the language of pu	ublication of the international application (under Rule 48.3(b)).			
	the language of a translation furnished for the purposes of international preliminary examination (under Rule 55.2 and/or 55.3).					
3.	. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:					
		contained in the ir	nternational application in written form.			
	☐ filed together with the international application in computer readable form.					
	☐ furnished subsequently to this Authority in written form.					
	furnished subsequently to this Authority in computer readable form.					
	☐ The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.					
	☐ The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.					
4.	The	amendments have	e resulted in the cancellation of:			
		the description,	pages:			
		the claims,	Nos.:			



		the drawings,	sheets:		
5. This report has been established as if (some of) the amendments had not been made, since they considered to go beyond the disclosure as filed (Rule 70.2(c)):					
		(Any replacement she report.)	eet contaii	ning such	amendments must be referred to under item 1 and annexed to this
6.	Add	litional observations, if	f necessar	y:	
٧.		soned statement un tions and explanatio			ith regard to novelty, inventive step or industrial applicability;
1.	Stat	ement			
	Nov	relty (N)	Yes: No:	Claims Claims	1-4, 6-8, 10-12
	Inve	entive step (IS)	Yes: No:	Claims Claims	1-12
	Indu	ustrial applicability (IA)	Yes: No:	Claims Claims	1-12

2. Citations and explanations see separate sheet

VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made: see separate sheet

Reference is made to the following documents:

D1: FR-A-1 139 960 (TEMPLEMAN F E) 9 July 1957 (1957-07-09)

D2: FR-A-2 510 410 (ALKEKENGE SARL) 4 February 1983 (1983-02-04)

D3: US-A-5 891 400 (POTTS BARBARA ET AL) 6 April 1999 (1999-04-06)

<u>Item V</u>

1. Novelty (Article 33(2) PCT)

The present application does not meet the requirements of Article 33 PCT, because the subject-matter of claims 1-8 and 10-12. is not new in the sense of Article 33(2) PCT.

- 1.1 Claim 1: D1 shows a fumigation apparatus, comprising a oil lamp and a heat conducting means for heat transport from oil lamp to a separate holder for an active component (column 1 and 2, figures 1 and 2). Consequently, the subject-matter of claim 1 is not new in the sense of Article 33(2) PCT.
- 1.2 Claim 2: Although the wick part of D1 is not shown, it is obvious that the wick must be placed in a holding, which usually has the form of a lid. Moreover, shows D1 a metal element (5) which is mounted on the lamp glass, so that the subjectmatter of claim 2 is not new in the sense of Article 33(2) PCT.
- 1.3 Claim 4: D1 shows a apparatus where the holder forms an integral part of the apparatus (figure 1), so that the subject-matter of claim 4 is not new in the sense of Article 33(2) PCT.
- 1.5 Claim 6 and 8: The subject-matter of claims 6 and 8 is obvious and therefore not new in the sense of Article 33(2) PCT.
- 1.6 Claim 7: D1 shows a fumigation apparatus where the holder is replaceable (figure 1 and 2), so that the subject-matter of claim 7 is not new in the sense of Article 33(2) PCT.

- 1.7 Claims 10-12: D1 shows a fumigation apparatus with a holder for an active component having openings (figure 1 and 2), so that the subject-matter of claims 10-12 is not new in the sense of Article 33(2) PCT.
- 2. Inventive step (Article 33(3) PCT)

The present application does not meet the requirements of Article 33 PCT, because the subject-matter of claims 5 and 9 does not involve an inventive step in the sense of Article 33(3) PCT.

- 2.1 Claims 5 and 9: It is not clear what technical problem is solved by the subject-matter of claims 5 and 9 and which unexpected technical effect would result from its subject-matter. This is especially the case, when considering D2 where a diffusor for perfume is shown which uses a wick for the perfume and where the holder forms an integral part of the lamp glass (figure 1). Consequently, the subject-matter of claims 5 and 9 does not involve an inventive step in the sense of Article 33(3) PCT.
- 3. Also relevant for the present application is D3, which describes a volatile substance dispenser which differs from the present application in that a candle (wick with wax) is used instead of a wick with lamp oil. However, it would be obvious for a person skilled in the art to replace the candle by a oil lamp type of construction.

Item VIII

- 4.1 Claim 3: The term "in the vicinity of" used in claim 3 is vague and unclear and leaves the reader in doubt as to the meaning of the technical feature to which it refers, thereby rendering the definition of the subject-matter of said claim unclear (Article 6 PCT).
- 4.2 Claim 5: Claims 5 does not meet the requirements of Article 6 PCT in that the matter for which protection is sought is not clearly defined. Claim 5 which is dependent on claim 2 defines the holder as an integral part of the lamp glass, whereas in claim 2 a metal element, forming the heat conducting part, is mounted in the lamp glass, leaving the lector in doubt of the construction of which

protection is sought (Article 6 PCT).